



AWB - modrý katalog str.6




Typ	Obj. číslo	Délka (L) (mm)	Šířka (B) (mm)	Výš. rozd. H (mm)		Nosnost (kg/kus)	Hmotnost (kg/kus)	Cena v CZK za kus	Cena v CZK za kus vč. DPH
				min.	max.				
AWB 508	307.00.000	750	1 250	0	+ 100	600	20	11 730,00	14 193,30
AWB 510	307.00.001	1 000	1 250	+ 50	+ 125	600	26	13 790,00	16 685,90
AWB 512	307.00.002	1200	1 250	+ 60	+ 150	600	30	15 790,00	19 105,90
AWB 515	307.00.003	1 500	1 250	+ 80	+ 190	600	40	19 450,00	23 534,50
AWB 518	307.00.004	1 800	1 250	+ 100	+ 225	600	47	23 270,00	28 156,70
AWB 1008	307.00.005	750	1 250	+ 30	+ 100	1 200	24	13 420,00	16 238,20
AWB 1010	307.00.006	1 000	1 250	+ 50	+ 125	1 200	30	16 030,00	19 396,30
AWB 1012	307.00.007	1200	1 250	+ 60	+ 150	1 200	37	18 760,00	22 699,60
AWB 1015	307.00.008	1 500	1 250	+ 80	+ 190	1 200	47	22 940,00	27 757,40
AWB 1018	307.00.009	1 800	1 250	+ 100	+ 225	1 200	57	28 160,00	34 073,60
	307.00.030	pojezdová kola					4	1 730,00	2 093,30
	307.00.010	přepravní vozík pro délku 1.500 mm a 1.800 mm					18	8 180,00	9 897,80

AOS - F - skládací provedení - modrý katalog str. 7




Typ	Obj. číslo	Délka (mm)	Šířka (mm)	L 1 (mm)	L 2 (mm)	Výš. rozdíl 20% (mm)	Nosnost kg	Hmotnost (kg/kus)	Cena v CZK za kus	Cena v CZK za kus vč. DPH
AOS-F	081.55.024	2 000	800	940	1 105	400	400/kus	32	17 510,00	21 187,10
									Cena v CZK za pár	Cena v CZK za pár vč. DPH
AOS-F	081.55.025	2 000	400	940	1 105	400	400/pár	16	20 760,00	25 119,60
AOS-F	081.55.026	2 500	400	1 185	1 350	500	400/pár	19	23 450,00	28 374,50
AOS-F	081.55.027	3 000	400	1 430	1 515	600	400/pár	22	26 600,00	32 186,00

HFB - 50 - 60 - modrý katalog str. 8




Typ	Obj. číslo	Délka (mm)	Šířka (B) (mm)	Výš. rozd. H (mm)		Nosnost (kg/kus)	Hmotnost (kg/kus)	Cena v CZK za kus	Cena v CZK za kus vč. DPH
				min.	max.				
HFB 55	306.01.002	550	1 250	-28	+60	4 000	23	15 510,00	18 767,10
HFB 55	306.01.003	550	1 500	-28	+60	4 000	27	16 030,00	19 396,30
HFB 55	306.01.004	550	1 750	-28	+60	4 000	32	18 510,00	22 397,10
HFB 55	306.01.001	550	2 000	-28	+60	4 000	36	19 700,00	23 837,00
HFB 60	306.04.000	575	1 250	-23	+40	1 200	17	13 120,00	15 875,20
HFB 60	306.04.001	575	1 500	-23	+40	1 200	19	15 120,00	18 295,20
HFB 60	306.04.002	575	1 750	-23	+40	1 200	23	17 150,00	20 751,50
HFB 60	306.04.003	575	2 000	-23	+40	1 200	27	18 820,00	22 772,20

HFB - modrý katalog str. 9



Typ	Obj. číslo	Délka (L) (mm)	Šířka (B) (mm)	rozměr A (mm)	Výš. rozd. H (mm)		Nosnost (kg/kus)	Hmotnost (kg/kus)	Cena v CZK za kus	Cena v CZK za kus vč. DPH
					min.	max.				
HFB 7	306.00.041	625	1 250	285	-55	+100	4 000	28	18 540,00	22 433,40
HFB 8	306.00.042	625	1 500	285	-55	+100	4 000	33	21 240,00	25 700,40
HFB 3	306.00.037	750	1 250	410	-70	+115	4 000	30	19 620,00	23 740,20
HFB 4	306.00.038	750	1 500	410	-70	+115	4 000	36	22 890,00	27 696,90
HFB 5	306.00.039	1 000	1 250	660	-100	+145	4 000	42	28 140,00	34 049,40
HFB 6	306.00.040	1 000	1 500	660	-100	+145	4 000	50	31 300,00	37 873,00
	306.00.030	pojezdová kola						4	1 710,00	2 069,10

HF - modrý katalog str. 10



Zubehör HF-Brücken




Typ	Obj. číslo	Délka (L) (mm)	Šířka (B) (mm)	Výš. rozd. H (mm)		Nosnost (kg/kus)	Hmotnost (kg/kus)	Cena v CZK za kus	Cena v CZK za kus vč. DPH
				min.	max.				
HF 00*	306.00.000	1 235	1 250	0	+110	4 000	52	21 730,00	26 293,30
HF 01*	306.00.001	1 235	1 500	0	+110	4 000	61	29 350,00	35 513,50
HF 02*	306.00.002	1 485	1 250	0	+140	3 500	61	31 990,00	38 707,90
HF 03*	306.00.003	1 485	1 500	0	+140	3 500	72	35 140,00	42 519,40
HF 04*	306.00.004	1 735	1 250	0	+170	3 000	70	36 100,00	43 681,00
HF 05*	306.00.005	1 735	1 500	0	+170	3 000	83	40 000,00	48 400,00
HF 06*	306.00.006	1 985	1 250	0	+200	2 000	82	40 630,00	49 162,30
HF 07*	306.00.007	1 985	1 500	0	+200	2 000	86	44 680,00	54 062,80
HF 08*	306.00.008	2 235	1 250	0	+235	1 800	91	45 010,00	54 462,10
HF 09*	306.00.009	2 235	1 500	0	+235	1 800	107	50 870,00	61 552,70
HF 10*	306.00.010	2 485	1 250	0	+265	1 600	100	50 510,00	61 117,10
HF 11*	306.00.011	2 485	1 500	0	+265	1 600	118	55 670,00	67 360,70
HF 15*	306.00.015	1 235	1 250	+0	+110	4 000	52	21 730,00	26 293,30
HF 16*	306.00.016	1 235	1 500	+0	+110	4 000	61	29 350,00	35 513,50
HF 17	306.00.017	1 485	1 250	+75	+140	4 000	65	37 540,00	45 423,40
HF 18	306.00.018	1 485	1 500	+75	+140	4 000	76	35 140,00	42 519,40
HF 19	306.00.019	1 735	1 250	+90	+170	4 000	75	38 950,00	47 129,50
HF 20	306.00.020	1 735	1 500	+90	+170	4 000	88	44 200,00	53 482,00
HF 21	306.00.021	1 985	1 250	+110	+200	4 000	91	44 020,00	53 264,20
HF 22	306.00.022	1 985	1 500	+110	+200	4 000	105	49 040,00	59 338,40
HF 23	306.00.023	2 235	1 250	+125	+235	4 000	101	57 110,00	69 103,10
HF 24	306.00.024	2 235	1 500	+125	+235	1 200	117	63 410,00	76 726,10
HF 25	306.00.025	2 485	1 250	+145	+265	1 200	116	64 520,00	78 069,20
HF 26	306.00.026	2 485	1 500	+145	+265	1 200	134	68 000,00	82 280,00

* Provedení bez výstuhy


	306.00.030	pojezdová kola, sada	4	1 710,00	2 069,10
	306.00.032	oka pro vysokozdvizný vozík, sada	10	7 150,00	8 651,50
	306.00.033	přepravní vozík pro přemostění 1.250 mm	18	8 070,00	9 764,70
	306.00.049	přepravní vozík pro přemostění 1.500 mm	19	8 590,00	10 393,90
	306.00.034	zajišťovací rameno, sada	19	4 750,00	5 747,50

MC - modrý katalog str. 12




Typ	Obj. číslo	Délka (L) (mm)	L1 (mm)	L2 (mm)	Šířka (mm)	Výš. rozd. H (mm)		Nosnost (kg/kus)	Hmotnost (kg/kus)	Cena v CZK za kus	Cena v CZK za kus vč. DPH
						min.	max.				
MC	306.03.001	2 070	1 465	565	2 000	+60	+235	7 300	345	102 770,00	124 351,70
MC	306.03.002	2 320	1 715	565	2 000	+60	+265	7 300	400	112 590,00	136 233,90
MC	306.03.003	2 570	1 965	565	2 000	+60	+295	7 300	460	123 270,00	149 156,70
MC	306.03.004	2 320	1 715	565	2 300	+60	+265	7 300	455	127 590,00	154 383,90

MBD - modrý katalog str. 15




Typ	Obj. číslo	Délka (L) (mm)	(mm)	Výš. rozd. H (mm)		Nosnost (kg/kus)	Hmotnost (kg/kus)	Cena v CZK za kus	Cena v CZK za kus vč. DPH
				min.	max.				
MBD	306.02.000	4 080	1 500	+250	+500	4000	293	125 100,00	151 371,00
MBD	306.02.001	4 080	1 750	+250	+500	4000	332	141 510,00	171 227,10
MBD	306.02.002	4 080	2 000	+250	+500	4000	372	158 580,00	191 881,80

SB-K, SB - modrý katalog str. 16




Typ	Obj. číslo	Délka (L) (mm)	Šířka (B) (mm)	Výš. rozd. H (mm)		Nosnost (kg/kus)	Hmotnost (kg/kus)	Cena v CZK za kus	Cena v CZK za kus vč. DPH
				min.	max.				
SB - K	307.00.110	500	1 000	+10	+70	300	9	4 320,00	5 227,20
SB - K	307.00.111	650	1 000	+70	+120	300	11	4 860,00	5 880,60
SB	307.00.100	500	1 250	+30	+70	3 000	19	8 700,00	10 527,00
SB	307.00.101	800	1 250	+70	+110	3 000	32	14 700,00	17 787,00

Typ	Obj. číslo	Délka (mm)	Nájezd, sklon (mm)	Plocha k stání (mm)	Výška (mm)	Nosnost (kg/kus)	Hmotnost (kg/kus)	Cena v CZK za pár	Cena v CZK za pár vč. DPH
Auffahrkeil	141.01.003	1 440	950	500	145	12 000	31	35 770,00	43 281,70
Auffahrkeil	141.01.004	1 440	950	500	190	12 000	32	39 610,00	47 928,10
Auffahrkeil	141.01.005	1 440	950	500	290	12 000	38	42 310,00	51 195,10
Auffahrkeil	141.01.006	2 030	1 300	750	390	12 000	65	68 030,00	82 316,30




Typ	Obj. číslo	Délka (L) (mm)	Šířka (B) (mm)	Výš. rozd. H (mm)		Nosnost (kg/kus)	Hmotnost (kg/kus)	Cena v CZK za kus	Cena v CZK za kus vč. DPH
				min.	max.				
BB 01	308.21.000	505	1 450	-100	+30	4 000	29	16 600,00	20 086,00
BB 02	308.21.001	505	1 750	-100	+30	4 000	34	19 030,00	23 026,30
BB 03	308.21.002	505	1 950	-100	+30	4 000	39	20 710,00	25 059,10
BB 04*	308.21.003	505	1 450	-100	+30	4 000	31	17 950,00	21 719,50
BB 05*	308.21.004	505	1 750	-100	+30	4 000	36	20 350,00	24 623,50
BB 06*	308.21.005	505	1 950	-100	+30	4 000	41	22 060,00	26 692,60
* provedení se 2 držáky							kg/m	Kč/ks	Kč/ks
500.00.001	319.22.004	vodící lišta, válcovaná-hladká, délka 3.000 mm					8	5 790,00	7 005,90
500.00.000	319.22.005	vodící lišta, pozinkovaná, délka 3.000 mm					8	7 260,00	8 784,60
	308.21.889	spojovací prvek pro 2 přemostění					2/ks	1 780,00	2 153,80




Typ	Obj. číslo	Délka (L) (mm)	Šířka (B) (mm)	D (mm)	Výš. rozd. H (mm)		Nosnost (kg/kus)	Hmotnost (kg/kus)	Cena v CZK za kus	Cena v CZK za kus vč. DPH
					min.	max.				
KBS 00	302.21.000	410	1 250	80	-70	+30	4 000	19	13 390,00	16 201,90
KBS 12	302.21.012	535	1 250	100	-90	+45	4 000	24	15 070,00	18 234,70
KBS 13	302.21.013	785	1 250	150	-120	+75	4 000	31	17 140,00	20 739,40
KBS 02	302.21.002	910	1 250	170	-135	+90	4 000	36	21 010,00	25 422,10
KBS 04	302.21.004	410	1 500	80	-70	+30	4 000	23	13 510,00	16 347,10
KBS 14	302.21.014	535	1 500	100	-90	+45	4 000	28	16 450,00	19 904,50
KBS 15	302.21.015	785	1 500	150	-120	+75	4 000	38	21 580,00	26 111,80
KBS 06	302.21.006	910	1 500	170	-135	+90	4 000	44	24 730,00	29 923,30
KBS 16	302.21.016	410	2 000	80	-70	+30	4 000	32	16 510,00	19 977,10
KBS 17	302.21.017	535	2 000	100	-90	+45	4 000	40	20 470,00	24 768,70

				kg/m	Kč/ks	Kč/ks	
500.00.008	319.23.006	Vodící lišta, pozinkovaná, výrobní délka 3.000 mm			8	6 900,00	8 349,00
500.00.007	319.23.016	Vodící lišta, pozinkovaná, výrobní délka 2.500 mm			8	5 760,00	6 969,60
500.00.006	319.23.017	Vodící lišta, pozinkovaná, výrobní délka 2.000 mm			8	4 580,00	5 541,80



SKB - modrý katalog str. 22



Typ	Obj. číslo	Délka (L) (mm)	Šířka (B) (mm)	Výš. rozd. H (mm)		Nosnost (kg/kus)	Hmotnost (kg/kus)	Cena v CZK za kus	Cena v CZK za kus vč. DPH
				min.	max.				
Posuvné provedení									
SKB 01	304.21.000	815	1 250	- 120	+ 80	4 000	67	28 160,00	34 073,60
SKB 02*	304.21.001	1 315	1 250	- 185	+ 140	2 500	102	42 190,00	51 049,90
SKB 03*	304.21.002	1 565	1 250	- 215	+ 175	1 750	113	46 630,00	56 422,30
SKB 10	304.21.003	565	1 500	- 90	+ 50	4 000	67	27 740,00	33 565,40
SKB 11	304.21.004	815	1 500	- 120	+ 80	4 000	77	32 710,00	39 579,10
SKB 12*	304.21.005	1 065	1 500	- 155	+ 110	4 000	103	45 400,00	54 934,00
SKB 13*	304.21.006	1 315	1 500	- 185	+ 140	4 000	114	49 600,00	60 016,00
SKB 14*	304.21.007	1 565	1 500	- 215	+ 175	4 000	128	53 950,00	65 279,50
							kg/m	Kč/metr	Kč/metr
500.00.015/6/7	319.22.002	vodící lišta, válcovaná-hladká, výrobní délka 1 / 2 / 3 m					12	2 110,00	2 553,10
500.00.010/1/2	319.23.007	vodící lišta, pozinkovaná, výrobní délky 1 / 2 / 3 m					12	2 650,00	3 206,50

Pevné provedení									
SKBS 01	304.20.011	815	1 250	- 120	+ 80	4 000	57	24 410,00	29 536,10
SKBS 02*	304.20.012	1 315	1 250	- 185	+ 140	2 500	99	38 440,00	46 512,40
SKBS 03*	304.20.013	1 565	1 250	- 215	+ 175	1 750	110	42 910,00	51 921,10
SKBS 10	304.20.014	565	1 500	- 90	+ 50	4 000	56	23 990,00	29 027,90
SKBS 11	304.20.015	815	1 500	- 120	+ 80	4 000	66	28 130,00	34 037,30
SKBS 12*	304.20.016	1 065	1 500	- 155	+ 110	4 000	99	40 790,00	49 355,90
SKBS 13*	304.20.017	1 315	1 500	- 185	+ 140	4 000	110	45 880,00	55 514,80
SKBS 14*	304.20.018	1 565	1 500	- 215	+ 175	4 000	124	50 230,00	60 778,30

* Provedení s pružinovým zvedákem

SKB se segmentovou patkou - modrý katalog str. 31





Typ	Obj. číslo	Délka (L) (mm)	Šířka (B) (mm)	Výš. rozd. H (mm)		Nosnost (kg/kus)	Hmotnost (kg/kus)	Cena v CZK za kus	Cena v CZK za kus vč. DPH
				min.	max.				
Posuvné provedení									
SKB-SL	304.11.000	855	1 250	-130	+80	4 000	78	34 660,00	41 938,60
SKB-SL*	304.11.001	1 355	1 250	-195	+140	2 500	110	47 830,00	57 874,30
SKB-SL*	304.11.002	1 605	1 250	-225	+170	1 750	121	52 210,00	63 174,10
SKB-SL	304.11.003	605	1 500	-100	+50	4 000	79	35 290,00	42 700,90
SKB-SL	304.11.004	855	1 500	-130	+80	4 000	90	39 490,00	47 782,90
SKB-SL*	304.11.005	1 105	1 500	-165	+110	4 000	113	52 150,00	63 101,50
SKB-SL*	304.11.006	1 355	1 500	-195	+140	4 000	125	56 350,00	68 183,50
SKB-SL*	304.11.007	1 605	1 500	-225	+170	4 000	137	60 670,00	73 410,70
							kg/m	Kč/metr	Kč/metr
500.00.015/6/7	319.22.002	vodící lišta, válcovaná-hladká, výrobní délka 1 / 2 / 3 m					12	2 110,00	2 553,10
500.00.010/1/2	319.23.007	vodící lišta, pozinkovaná, výrobní délky 1 / 2 / 3 m					12	2 650,00	3 206,50

Pevné provedení										
SKBS-SL	304.10.000	855	1 250	-130	+80	4 000	68	30 940,00	37 437,40	
SKBS-SL*	304.10.001	1 355	1 250	-195	+140	2 500	107	44 110,00	53 373,10	
SKBS-SL*	304.10.002	1 605	1 250	-225	+170	1 750	118	48 490,00	58 672,90	
SKBS-SL	304.10.003	605	1 500	-100	+50	4 000	68	31 600,00	38 236,00	
SKBS-SL	304.10.004	855	1 500	-130	+80	4 000	79	35 770,00	43 281,70	
SKBS-SL*	304.10.005	1 105	1 500	-165	+110	4 000	109	48 400,00	58 564,00	
SKBS-SL*	304.10.006	1 355	1 500	-195	+140	4 000	121	52 600,00	63 646,00	
SKBS-SL*	304.10.007	1 605	1 500	-225	+170	4 000	133	56 950,00	68 909,50	

* Provedení s pružinovým zvedákem


FBS z oceli nosnost 5t - modrý katalog str. 24



Typ	Obj. číslo		Délka (L) (mm)	Šířka (B) (mm)	Výšk. roz. H (mm)		Nosnost (kg/kus)	Hmotnost (kg/kus)	Cena v CZK za kus lakované	Cena v CZK za kus pozinkované	Cena v CZK za kus vč. DPH lakované	Cena v CZK za kus vč. DPH pozinkované
	lakované	pozinkované			min.	max.						
Posuvné provedení												
FBSV 01	303.21.000	303.81.000	1 250	1 500	- 160	+110	5 000	250	55 460,00	61 070,00	67 106,60	73 894,70
FBSV 04	303.21.001	303.81.001	1 500	1 500	- 190	+140	5 000	290	62 490,00	72 030,00	75 612,90	87 156,30
FBSV 05	303.21.002	303.81.002	1 500	1 750	- 190	+140	5 000	320	68 460,00	81 030,00	82 836,60	98 046,30
FBSV 06	303.21.003	303.81.003	1 500	2 000	- 190	+140	5 000	350	76 020,00	84 570,00	91 984,20	102 329,70
FBSV 07	303.21.004	303.81.004	1 750	1 500	- 220	+175	5 000	310	62 820,00	74 820,00	76 012,20	90 532,20
FBSV 08	303.21.005	303.81.005	1 750	1 750	- 220	+175	5 000	340	70 080,00	79 080,00	84 796,80	95 686,80
FBSV 09	303.21.006	303.81.006	1 750	2 000	- 220	+175	5 000	370	77 370,00	92 460,00	93 617,70	111 876,60
FBSV 10	303.21.007	303.81.007	2 000	1 500	- 250	+205	5 000	340	67 050,00	75 210,00	81 130,50	91 004,10
FBSV 11	303.21.008	303.81.008	2 000	1 750	- 250	+205	5 000	380	76 710,00	91 410,00	92 819,10	110 606,10
FBSV 12	303.21.009	303.81.009	2 000	2 000	- 250	+205	5 000	420	85 830,00	96 360,00	103 854,30	116 595,60
								kg/m	Kč/metr	Kč/metr	Kč/metr	Kč/metr
500.00.025/6/7	319.22.000	vodící lišta, válcovaná-hladká, výrobní délka 1 / 2 / 3 m						25	3 280,00		3 968,80	
500.00.020/1/2	319.23.001	vodící lišta, pozinkovaná, výrobní délky 1 / 2 / 3 m						25	4 390,00		5 311,90	

Pevné provedení												
FBSS 01	302.20.000	302.80.000	1 250	1 500	- 160	+110	5 000	230	48 680,00	58 100,00	58 902,80	70 301,00
FBSS 04	302.20.001	302.80.001	1 500	1 500	- 190	+140	5 000	270	52 290,00	58 590,00	63 270,90	70 893,90
FBSS 05	302.20.002	302.80.002	1 500	1 750	- 190	+140	5 000	300	58 620,00	70 290,00	70 930,20	85 050,90
FBSS 06	302.20.003	302.80.003	1 500	2 000	- 190	+140	5 000	330	64 890,00	73 320,00	78 516,90	88 717,20
FBSS 07	302.20.004	302.80.004	1 750	1 500	- 220	+175	5 000	290	54 240,00	65 310,00	65 630,40	79 025,10
FBSS 08	302.20.005	302.80.005	1 750	1 750	- 220	+175	5 000	320	60 600,00	69 450,00	73 326,00	84 034,50
FBSS 09	302.20.006	302.80.006	1 750	2 000	- 220	+175	5 000	350	66 900,00	80 490,00	80 949,00	97 392,90
FBSS 10	302.20.007	302.80.007	2 000	1 500	- 250	+205	5 000	320	57 390,00	69 330,00	69 441,90	83 889,30
FBSS 11	302.20.008	302.80.008	2 000	1 750	- 250	+205	5 000	360	65 400,00	79 050,00	79 134,00	95 650,50
FBSS 12	302.20.009	302.80.009	2 000	2 000	- 250	+205	5 000	400	72 960,00	88 290,00	88 281,60	106 830,90


FBS z oceli nosnost 5t se segmentovou patkou - pozinkované - modrý katalog str. 31



Typ	Obj. číslo	Délka (L) (mm)	Šířka (B) (mm)	Výšk. roz. H (mm)		Nosnost (kg/kus)	Hmotnost (kg/kus)	Cena v CZK za kus	Cena v CZK za kus vč. DPH
				min.	max.				
Posuvné provedení									
FBSV-SL5	303.11.000	1 315	1 500	-190	+135	5 000	250	67 700,00	81 917,00
FBSV-SL5	303.11.001	1 565	1 500	-220	+165	5 000	290	78 630,00	95 142,30
FBSV-SL5	303.11.002	1 565	1 750	-220	+165	5 000	320	88 740,00	107 375,40
FBSV-SL5	303.11.003	1 565	2 000	-220	+165	5 000	350	93 270,00	112 856,70
FBSV-SL5	303.11.004	1 815	1 500	-250	+195	5 000	310	81 420,00	98 518,20
FBSV-SL5	303.11.005	1 815	1 750	-250	+195	5 000	340	86 790,00	105 015,90
FBSV-SL5	303.11.006	1 815	2 000	-250	+195	5 000	370	101 130,00	122 367,30
FBSV-SL5	303.11.007	2 065	1 500	-280	+225	5 000	340	81 870,00	99 062,70
FBSV-SL5	303.11.008	2 065	1 750	-280	+225	5 000	380	99 150,00	119 971,50
FBSV-SL5	303.11.009	2 065	2 000	-280	+225	5 000	420	105 030,00	127 086,30
							kg/m	Kč/metr	Kč/metr
500.00.025/6/7	319.22.000	vodící lišta, válcovaná-hladká, výrobní délka 1 / 2 / 3 m					25	3 280,00	3 968,80
500.00.020/1/2	319.23.001	vodící lišta, pozinkovaná, výrobní délky 1 / 2 / 3 m					25	4 390,00	5 311,90

Pevné provedení									
FBSS-SL5	302.10.000	1 315	1 500	-190	+135	5000	230	64 730,00	78 323,30
FBSS-SL5	302.10.001	1 565	1 500	-220	+165	5000	270	65 220,00	78 916,20
FBSS-SL5	302.10.002	1 565	1 750	-220	+165	5000	300	78 030,00	94 416,30
FBSS-SL5	302.10.003	1 565	2 000	-220	+165	5000	330	82 020,00	99 244,20
FBSS-SL5	302.10.004	1 815	1 500	-250	+195	5000	290	71 910,00	87 011,10
FBSS-SL5	302.10.005	1 815	1 750	-250	+195	5000	320	77 160,00	93 363,60
FBSS-SL5	302.10.006	1 815	2 000	-250	+195	5000	350	89 130,00	107 847,30
FBSS-SL5	302.10.007	2 065	1 500	-280	+225	5000	320	75 960,00	91 911,60
FBSS-SL5	302.10.008	2 065	1 750	-280	+225	5000	360	86 790,00	105 015,90
FBSS-SL5	302.10.009	2 065	2 000	-280	+225	5000	400	96 960,00	117 321,60


FBS z oceli nosnost 6t - modrý katalog str. 24



Typ	Obj. číslo		Délka (L) (mm)	Šířka (B) (mm)	Výšk. roz. H (mm)		Nosnost (kg/kus)	Hmotnost (kg/kus)	Cena v CZK za kus lakované	Cena v CZK za kus pozinkované	Cena v CZK za kus vč. DPH lakované	Cena v CZK za kus vč. DPH pozinkované
	lakované	pozinkované			min.	max.						
Posuvné provedení												
FBSV 01	303.51.000	303.83.000	1 250	1 500	- 160	+110	6 000	265	67 200,00	79 530,00	81 312,00	96 231,30
FBSV 04	303.51.001	303.83.001	1 500	1 500	- 190	+140	6 000	305	73 350,00	86 850,00	88 753,50	105 088,50
FBSV 05	303.51.002	303.83.002	1 500	1 750	- 190	+140	6 000	335	79 350,00	94 680,00	96 013,50	114 562,80
FBSV 06	303.51.003	303.83.003	1 500	2 000	- 190	+140	6 000	365	86 910,00	104 100,00	105 161,10	125 961,00
FBSV 07	303.51.004	303.83.004	1 750	1 500	- 220	+175	6 000	325	73 650,00	88 500,00	89 116,50	107 085,00
FBSV 08	303.51.005	303.83.005	1 750	1 750	- 220	+175	6 000	355	80 940,00	97 560,00	97 937,40	118 047,60
FBSV 09	303.51.006	303.83.006	1 750	2 000	- 220	+175	6 000	385	88 260,00	106 740,00	106 794,60	129 155,40
FBSV 10	303.51.007	303.83.007	2 000	1 500	- 250	+205	6 000	355	77 880,00	93 750,00	94 234,80	113 437,50
FBSV 11	303.51.008	303.83.008	2 000	1 750	- 250	+205	6 000	395	87 600,00	105 510,00	105 996,00	127 667,10
FBSV 12	303.51.009	303.83.009	2 000	2 000	- 250	+205	6 000	435	96 750,00	116 760,00	117 067,50	141 279,60
								kg/m	Kč/metr	Kč/metr	Kč/metr	Kč/metr
500.00.025/6/7	319.22.000	vodící lišta, válcovaná-hladká, výrobní délka 1 / 2 / 3 m						25	3 280,00		3 968,80	
500.00.020/1/2	319.23.001	vodící lišta, pozinkovaná, výrobní délky 1 / 2 / 3 m						25	4 390,00		5 311,90	

Pevné provedení												
FBSS 01	302.50.000	302.82.000	1 250	1 500	- 160	+110	6 000	245	57 890,00	69 200,00	70 046,90	83 732,00
FBSS 04	302.50.001	302.82.001	1 500	1 500	- 190	+140	6 000	285	61 470,00	73 920,00	74 378,70	89 443,20
FBSS 05	302.50.002	302.82.002	1 500	1 750	- 190	+140	6 000	315	67 710,00	82 170,00	81 929,10	99 425,70
FBSS 06	302.50.003	302.82.003	1 500	2 000	- 190	+140	6 000	345	74 100,00	88 860,00	89 661,00	107 520,60
FBSS 07	302.50.004	302.82.004	1 750	1 500	- 220	+175	6 000	305	63 420,00	76 890,00	76 738,20	93 036,90
FBSS 08	302.50.005	302.82.005	1 750	1 750	- 220	+175	6 000	335	69 750,00	85 170,00	84 397,50	103 055,70
FBSS 09	302.50.006	302.82.006	1 750	2 000	- 220	+175	6 000	365	76 110,00	92 880,00	92 093,10	112 384,80
FBSS 10	302.50.007	302.82.007	2 000	1 500	- 250	+205	6 000	335	66 570,00	81 330,00	80 549,70	98 409,30
FBSS 11	302.50.008	302.82.008	2 000	1 750	- 250	+205	6 000	375	74 580,00	91 590,00	90 241,80	110 823,90
FBSS 12	302.50.009	302.82.009	2 000	2 000	- 250	+205	6 000	415	86 340,00	101 340,00	104 471,40	122 621,40


FBS z oceli nosnost 6t se segmentovou patkou - pozinkované - modrý katalog str. 31




Typ	Obj. číslo	Délka (L) (mm)	Šířka (B) (mm)	Výšk. roz. H (mm)		Nosnost (kg/kus)	Hmotnost (kg/kus)	Cena v CZK za kus	Cena v CZK za kus vč. DPH
				min.	max.				
Posuvné provedení									
FBSV-SL6	303.13.000	1 315	1 500	-190	+135	6 000	265	86 190,00	104 289,90
FBSV-SL6	303.13.001	1 565	1 500	-220	+165	6 000	305	93 510,00	113 147,10
FBSV-SL6	303.13.002	1 565	1 750	-220	+165	6 000	335	102 420,00	123 928,20
FBSV-SL6	303.13.003	1 565	2 000	-220	+165	6 000	365	112 800,00	136 488,00
FBSV-SL6	303.13.004	1 815	1 500	-250	+195	6 000	325	95 100,00	115 071,00
FBSV-SL6	303.13.005	1 815	1 750	-250	+195	6 000	355	105 270,00	127 376,70
FBSV-SL6	303.13.006	1 815	2 000	-250	+195	6 000	385	115 920,00	140 263,20
FBSV-SL6	303.13.007	2 065	1 500	-280	+225	6 000	355	100 410,00	121 496,10
FBSV-SL6	303.13.008	2 065	1 750	-280	+225	6 000	395	113 250,00	137 032,50
FBSV-SL6	303.13.009	2 065	2 000	-280	+225	6 000	435	125 430,00	151 770,30
							kg/m	Kč/metr	Kč/metr
500.00.025/6/7	319.22.000	vodící lišta, válcovaná-hladká, výrobní délka 1 / 2 / 3 m					25	3 280,00	3 968,80
500.00.020/1/2	319.23.001	vodící lišta, pozinkovaná, výrobní délky 1 / 2 / 3 m					25	4 390,00	5 311,90

Pevné provedení									
FBSS-SL6	302.12.000	1 315	1 500	-190	+135	6 000	245	76 800,00	92 928,00
FBSS-SL6	302.12.001	1 565	1 500	-220	+165	6 000	285	80 550,00	97 465,50
FBSS-SL6	302.12.002	1 565	1 750	-220	+165	6 000	315	89 880,00	108 754,80
FBSS-SL6	302.12.003	1 565	2 000	-220	+165	6 000	345	97 530,00	118 011,30
FBSS-SL6	302.12.004	1 815	1 500	-250	+195	6 000	305	83 520,00	101 059,20
FBSS-SL6	302.12.005	1 815	1 750	-250	+195	6 000	335	92 880,00	112 384,80
FBSS-SL6	302.12.006	1 815	2 000	-250	+195	6 000	365	102 090,00	123 528,90
FBSS-SL6	302.12.007	2 065	1 500	-280	+225	6 000	335	87 990,00	106 467,90
FBSS-SL6	302.12.008	2 065	1 750	-280	+225	6 000	375	99 330,00	120 189,30
FBSS-SL6	302.12.009	2 065	2 000	-280	+225	6 000	415	109 980,00	133 075,80

FBA z hliníku - modrý katalog str. 26



verschiebbar



stationär

Typ	Obj. číslo	Délka (L) (mm)	Šířka (B) (mm)	Výš. rozdíl H (mm)		Nosnost (kg/kus)	Hmotnost (kg/kus)	Cena v CZK za kus	Cena v CZK za kus vč. DPH
				min.	max.				
Posuvné provedení									
FBAV 01	301.21.000	1 315	1 500	- 185	+ 140	4 500	158	77 410,00	93 666,10
FBAV 04	301.21.001	1 565	1 500	- 215	+ 175	4 500	184	81 470,00	98 578,70
FBAV 05	301.21.002	1 565	1 750	- 215	+ 175	4 500	210	87 980,00	106 455,80
FBAV 06	301.21.003	1 565	2 000	- 215	+ 175	4 500	227	93 860,00	113 570,60
FBAV 07	301.21.004	1 815	1 500	- 250	+ 205	4 500	207	87 680,00	106 092,80
FBAV 08	301.21.005	1 815	1 750	- 250	+ 205	4 500	221	94 130,00	113 897,30
FBAV 09	301.21.006	1 815	2 000	- 250	+ 205	4 500	243	101 120,00	122 355,20
FBAV 10	301.21.007	2 065	1 500	- 280	+ 235	4 500	209	95 750,00	115 857,50
FBAV 11	301.21.008	2 065	1 750	- 280	+ 235	4 500	236	103 070,00	124 714,70
FBAV 12	301.21.009	2 065	2 000	- 280	+ 235	4 500	260	111 350,00	134 733,50
FBAV 13	301.21.010	2 315	1 500	- 310	+ 265	4 500	221	103 370,00	125 077,70
FBAV 14	301.21.011	2 315	1 750	- 310	+ 265	4 500	257	111 950,00	135 459,50
FBAV 15	301.21.012	2 315	2 000	- 310	+ 265	4 500	283	119 070,00	144 074,70

500.00.025/6/7	319.22.000	vodící lišta, válcovaná-hladká, výrobní délka 1 / 2 / 3 m					kg/m	Kč/metr	Kč/metr
							25	3 280,00	3 968,80
500.00.020/1/2	319.23.001	vodící lišta, pozinkovaná, výrobní délky 1 / 2 / 3 m					25	4 390,00	5 311,90

Pevné provedení

FBAS 01	300.20.000	1 315	1 500	- 185	+ 140	4 500	140	66 730,00	80 743,30
FBAS 04	300.20.001	1 565	1 500	- 215	+ 175	4 500	164	72 890,00	88 196,90
FBAS 05	300.20.002	1 565	1 750	- 215	+ 175	4 500	188	79 220,00	95 856,20
FBAS 06	300.20.003	1 565	2 000	- 215	+ 175	4 500	202	86 090,00	104 168,90
FBAS 07	300.20.004	1 815	1 500	- 250	+ 205	4 500	177	79 130,00	95 747,30
FBAS 08	300.20.005	1 815	1 750	- 250	+ 205	4 500	199	86 180,00	104 277,80
FBAS 09	300.20.006	1 815	2 000	- 250	+ 205	4 500	218	93 140,00	112 699,40
FBAS 10	300.20.007	2 065	1 500	- 280	+ 235	4 500	189	86 840,00	105 076,40
FBAS 11	300.20.008	2 065	1 750	- 280	+ 235	4 500	214	95 720,00	115 821,20
FBAS 12	300.20.009	2 065	2 000	- 280	+ 235	4 500	235	104 780,00	126 783,80
FBAS 13	300.20.010	2 315	1 500	- 310	+ 265	4 500	201	95 930,00	116 075,30
FBAS 14	300.20.011	2 315	1 750	- 310	+ 265	4 500	235	106 010,00	128 272,10
FBAS 15	300.20.012	2 315	2 000	- 310	+ 265	4 500	258	112 220,00	135 786,20

FBA z hliníku se segmentovou patkou - modrý katalog str. 31



Typ	Obj. číslo	Délka (L) (mm)	Šířka (B) (mm)	Výš. rozdíl H (mm)		Nosnost (kg/kus)	Hmotnost (kg/kus)	Cena v CZK za kus	Cena v CZK za kus vč. DPH
				min.	max.				

Posuvné provedení

FBAV-SL 01	301.11.000	1 355	1 500	-195	+140	4 500	163	84 890,00	102 716,90
FBAV-SL 04	301.11.001	1 605	1 500	-225	+170	4 500	187	88 100,00	106 601,00
FBAV-SL 05	301.11.002	1 605	1 750	-225	+170	4 500	215	95 690,00	115 784,90
FBAV-SL 06	301.11.003	1 605	2 000	-225	+170	4 500	232	102 410,00	123 916,10
FBAV-SL 07	301.11.004	1 855	1 500	-255	+200	4 500	200	94 310,00	114 115,10
FBAV-SL 08	301.11.005	1 855	1 750	-255	+200	4 500	226	101 810,00	123 190,10
FBAV-SL 09	301.11.006	1 855	2 000	-255	+200	4 500	248	109 760,00	132 809,60
FBAV-SL 10	301.11.007	2 105	1 500	-290	+235	4 500	212	102 350,00	123 843,50
FBAV-SL 11	301.11.008	2 105	1 750	-290	+235	4 500	241	110 750,00	134 007,50
FBAV-SL 12	301.11.009	2 105	2 000	-290	+235	4 500	265	119 960,00	145 151,60
FBAV-SL 13	301.11.010	2 355	1 500	-320	+265	4 500	224	110 000,00	133 100,00
FBAV-SL 14	301.11.011	2 355	1 750	-320	+265	4 500	262	119 630,00	144 752,30
FBAV-SL 15	301.11.012	2 355	2 000	-320	+265	4 500	288	127 650,00	154 456,50


kg/m Kč/metr Kč/metr

500.00.025/6/7	319.22.000	vodící lišta, válcovaná-hladká, výrobní délka 1 / 2 / 3 m					25	3 280,00	3 968,80
500.00.020/1/2	319.23.001	vodící lišta, pozinkovaná, výrobní délky 1 / 2 / 3 m					25	4 390,00	5 311,90

Pevné provedení

FBAS-SL 01	300.10.000	1 355	1 500	-195	+140	4 500	151	73 330,00	88 729,30
FBAS-SL 04	300.10.001	1 605	1 500	-225	+170	4 500	175	79 490,00	96 182,90
FBAS-SL 05	300.10.002	1 605	1 750	-225	+170	4 500	201	86 870,00	105 112,70
FBAS-SL 06	300.10.003	1 605	2 000	-225	+170	4 500	216	94 640,00	114 514,40
FBAS-SL 07	300.10.004	1 855	1 500	-255	+200	4 500	188	85 760,00	103 769,60
FBAS-SL 08	300.10.005	1 855	1 750	-255	+200	4 500	212	93 860,00	113 570,60
FBAS-SL 09	300.10.006	1 855	2 000	-255	+200	4 500	232	101 750,00	123 117,50
FBAS-SL 10	300.10.007	2 105	1 500	-290	+235	4 500	200	93 500,00	113 135,00
FBAS-SL 11	300.10.008	2 105	1 750	-290	+235	4 500	227	103 370,00	125 077,70
FBAS-SL 12	300.10.009	2 105	2 000	-290	+235	4 500	249	113 360,00	137 165,60
FBAS-SL 13	300.10.010	2 355	1 500	-320	+265	4 500	212	102 590,00	124 133,90
FBAS-SL 14	300.10.011	2 355	1 750	-320	+265	4 500	248	113 690,00	137 564,90
FBAS-SL 15	300.10.012	2 355	2 000	-320	+265	4 500	272	121 770,00	147 341,70

FBT Tandem z hliníku - modrý katalog str. 28




Typ	Obj. číslo	Délka (L) (mm)	Šířka (B) (mm)	Střed otáč. výška H1(mm)	Vyš. roz. H (mm)	Nosnost (kg/ks)	Hmotnost (kg/ks)	Cena v CZK za kus	Cena v CZK za kus vč. DPH
Posuvné provedení									
FBTV	305.21.001	3 700	1 500	180	+460	4 000	336	134 730,00	163 023,30
FBTV	305.21.000	3 700	1 750	180	+460	4 000	382	145 890,00	176 526,90
FBTV	305.21.002	3 700	2 000	180	+460	4 000	465	156 200,00	189 002,00
FBTV	305.21.003	3 700	1 500	150	+430	4 000	336	134 730,00	163 023,30
FBTV	305.21.004	3 700	1 750	150	+430	4 000	382	145 890,00	176 526,90
FBTV	305.21.005	3 700	2 000	150	+430	4 000	465	156 200,00	189 002,00
							kg/m	Kč/metr	Kč/metr
500.00.025/6/7	319.22.000	vodící lišta, válcovaná-hladká, výrobní délka 1 / 2 / 3 m					25	3 310,00	4 005,10
500.00.020/1/2	319.23.001	vodící lišta, pozinkovaná, výrobní délky 1 / 2 / 3 m					25	4 430,00	5 360,30

Pevné provedení

FBTS	305.20.001	3 700	1 500	180	+460	4 000	305	123 340,00	149 241,40
FBTS	305.20.000	3 700	1 750	180	+460	4 000	345	134 680,00	162 962,80
FBTS	305.20.002	3 700	2 000	180	+460	4 000	425	144 920,00	175 353,20
FBTS	305.20.003	3 700	1 500	150	+430	4 000	305	123 340,00	149 241,40
FBTS	305.20.004	3 700	1 750	150	+430	4 000	345	134 680,00	162 962,80
FBTS	305.20.005	3 700	2 000	150	+430	4 000	425	144 920,00	175 353,20

Sanace ramp - modrý katalog str. 32



Obj. číslo	Označení	Hmotnost kg/metr	Cena v CZK za metr	Cena v CZK za metr vč. DPH
319.23.010	Sanace ramp, pozinkovaná	10	3 080,00	3 726,80

500.00.055 - 2m / 500.00.056 - 3m

Podpěrné nohy přemostění FB - modrý katalog str. 33

Obj. číslo	Označení	Hmotnost kg/sada	Cena v CZK za sadu	Cena v CZK za sadu vč. DPH
300.55.000	Podpěrné nohy pozinkované	10	21 260,00	25 724,60